

TYRES

Product group	Tyres	
Item number	10001732	
Valid tyre size	200 / 70 R 16	
LI / SI / PR	94 A8 / 94 B	
TL/TT	TL	
Brand	ВКТ	
Tread pattern	Agrimax Turf RT 333	



Notes and features

- The BKT Agrimax Turf RT 333 is a radial tyre for small tractors in gardening, wine or fruit cultivation.
- Its rounded tyre shoulder ensures low soil compaction and prevents damage to delicate soils.
- Thanks to the special directional block tread and the high tread pattern depth, the tyre provides good traction in the field and on the road and a long service life.
- Furthermore, the tyre has excellent self-cleaning properties.



Technical Informations

Item number	10001732
EAN	8903094074136
Valid tyre size	200 / 70 R 16
LI / SI / PR	94 A8 / 94 B
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax Turf RT 333
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	15,90
Recommended rim size	W6
Maximum air pressure [bar].	2,40
Section width (mm)	200
Outer diameter of tyre [mm].	686
Stat. radius (SLR) [mm]	317
Speed Radius Index (SRI)	330
Rolling circumference [mm].	2054
Contact area [cm²]	273
Tread depth (mm)	19,5
Number of lugs	33x2
E-Ready	No



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
94 A8	670	40		2,40	
94 B	670	50		2,40	