

TYRES

Product group	Tyres
Item number	10626781
Valid tyre size	710 / 70 R 38
LI / SI / PR	171 D / 168 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction



Notes and features

- Agricultural tyre for high-performance tractors.
  - Very good traction in fields.
- Excellent ride comfort on the road.
  - Very low soil compaction.

## Technical Informations

Item number	10626781
EAN	3286340544313
Valid tyre size	710 / 70 R 38
LI / SI / PR	171 D / 168 E
TL/TT	TL
Brand	Firestone
Tread pattern	Maxi Traction
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	305,70
Recommended rim size	23
Maximum air pressure [bar].	2,40
Section width (mm)	731
Outer diameter of tyre [mm].	1970
Stat. radius (SLR) [mm]	888
Rolling circumference [mm].	5910
Tread depth (mm)	58,0
Number of lugs	20x2
Tyre capacity 75% [ltr.]	800.25
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
171 D	6150	65		2,40	
168 E	5600	70		2,40	